

#### SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005

#### CKC LABORATORIES, INC. 1120 Fulton Place Fremont, CA 94539 Steve Behm Phone: 209 966 5240

#### ELECTRICAL (EMC)

Valid to: May 31, 2019

Certificate Number: 0803.06

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following <u>Emissions, Immunity, Wireless, and Military tests for electrical equipment:</u>

| STANDARD           | DESCRIPTION OF STANDARD   |
|--------------------|---|
|                    |   |
| AUSTRALIA / NEW Z  | EALAND  |
| AS/NZS 61000-6-1   | Electromagnetic Compatibility (EMC) Generic standard - Immunity for   |
|                    | residential, commercial and light-industrial environments   |
| AS/NZS 61000-6-2   | Electromagnetic Compatibility (EMC) Generic standards immunity for industrial environments                            |
| AS/NZS 61000-6-3:  | Electromagnetic Compatibility (EMC) Emission standard for residential,  |
| 2012               | commercial and light-industrial environments  |
| AS/NZS 61000-6-4:  | Electromagnetic Compatibility (EMC) Emission standard for industrial  |
| 2012               | environments  |
|                    | AMCA Radiocommunications (Short Range Devices) Standard: 2014   |
| AS/NZS 4268        | Radio equipment and systems - Short range devices - Limits and methods of   |
| AS/NZS 4768.1      | measurement   |
| AS/INZS 4/08.1     | Digital radio equipment operating in land mobile and fixed services bands in the frequency range (29.7 MHz to 1 GHz)  |
| AS/NZS CISPR 11:   | Industrial, Scientific and Medical (ISM) radio frequency equipment -  |
| 2011               | Electromagnetic disturbance characteristics - Limits and methods of   |
|                    | measurement   |
| AS/NZS CISPR 14.1: | Electromagnetic compatibility - Requirements for household appliances, electric                                       |
| 2013               | tools and similar apparatus - Emission [excluding clicks]   |
| AS/NZS CISPR 14.2  | Electromagnetic compatibility - Requirements for household appliances electric tools and similar apparatus - Immunity |
| AS/NZS CISPR 22:   | Information technology equipment - Radio disturbance characteristics - Limits   |
| 2009 + A1          | and methods of measurement  |
| AS/NZS CISPR 25    | Vehicles, boats and internal combustion engines - Radio disturbance   |
|                    | characteristics - Limits and methods of measurement for the protection of on-   |
|                    | board receivers   |
| AS/NZS CISPR 32    | Electromagnetic compatibility of multimedia equipment – Emission  |
| 2015               | Requirements  |

(A2LA Cert. No. 0803.06) Revised 03/07/2019

Page 1 of 17

5202 Presidents Court, Suite 220 | Frederick, MD 21703-8398 | Phone: 301 644 3248 | Fax: 240 454 9449 | www.A2LA.org

| <b>STANDARD</b> | DESCRIPTION OF STANDARD  |
|-----------------|--|
| <u>CANADA</u>   |  |
| BETS-1          | Technical standards and requirements for low power announce transmitters in the frequency bands (525 to 1705) KHz and (88 to 107.5) MHz  |
| BETS-4          | Technical standards and requirements for television broadcasting transmitters  |
| BETS-5          | Technical standards and requirements for AM broadcasting transmitters  |
| BETS-6          | Technical standards and requirements for FM broadcasting transmitters  |
| BETS-7          | Technical standards and requirements for radio apparatus capable of receiving broadcasting   |
| BETS-8          | Technical standards and requirements for FM transmitters operating in small remote communities   |
| BETS-9          | Technical standards and requirements for television transmitters operating in small remote communities   |
| ICES 001        | Industrial, Scientific and Medical (ISM) radio frequency generators  |
| ICES 003        | Information Technology Equipment (ITE) - Limits and methods of measurement   |
| ICES 004        | Alternating current high voltage power systems   |
| ICES 005        | Radio frequency lighting devices   |
| ICES 006        | AC Wire Carrier Current Devices (Unintentional Radiators)  |
| RSS-102         | Evaluation procedure for mobile and portable radio transmitters with respect to health Canada's safety code 6 for exposure of humans to radio frequency fields [ <i>except SAR</i> ] |
| RSS-111         | Broadband public safety equipment operating in the band (4940 to 4990) MHz   |
| RSS-112         | Land mobile and fixed equipment operating in the band (1670 to 1675) MHz   |
| RSS-117         | Land and coast station transmitters using A1, A2, A3, A2H, or A3H emissions operating in the (200 to 535) KHz band   |
| RSS-119         | Land mobile and fixed radio transmitters and receivers, (27.41 to 960) MHz   |
| RSS-123         | Low power licensed radio communication devices   |
| RSS-125         | Land mobile and fixed radio transmitters and receivers, (1.705 to 50.0) MHz, primarily amplitude modulated   |
| RSS-127         | Air-Ground Equipment Operating in the Bands 849 to 851 MHz<br>and (894 to 896) MHz   |
| RSS-130         | Mobile Broadband Services (MBS) Equipment Operating in the Frequency<br>Bands (698 to 756) MHz and (777 to 787) MHz  |
| RSS-131         | Zone enhancers for the land mobile service   |
| RSS-132         | 800 MHz Cellular telephones employing new technologies   |
| RSS-133         | 2 GHz Personal communication services  |
| RSS-134         | 900 MHz Narrowband personal communications services  |
| RSS-135         | Digital scanner receivers  |
| RSS-137         | Location and monitoring service (902 to 928) MHz   |
| RSS-139         | Advanced wireless services equipment operating in the bands  |
|                 | (1710 to 1755) MHz and (2110 to 2155) MHz  |
| RSS-140         | Equipment operating in the public safety broadband frequency bands (758 to 768) MHz and (788-798) MHz  |
| RSS-141         | Aeronautical radio communication equipment in the frequency<br>band (117.975 to 137) MHz   |
| RSS-142         | Narrowband multipoint communication systems in the (1427 to 1430) MHz and (1493.5 to 1496.5) MHz bands   |
| RSS-170         | Satellite mobile earth stations  |

Info

| <b>STANDARD</b> | DESCRIPTION OF STANDARD   |
|-----------------|---|
| CANADA (cont.)  |   |
| RSS-181         | Coast and ship station single sideband radiotelephone transmitters and receivers operating in the (1,605 to 28,000) KHz band  |
| RSS-191         | Local multipoint communication systems in the 28 GHz band, point-to-point and<br>point-to-multipoint broadband communication systems in the 24 GHz and<br>38 GHz bands        |
| RSS-192         | Fixed wireless access equipment operating in the band (3450 to 3650) MHz  |
| RSS-194         | Fixed wireless access equipment operating in the band (953 to 960) MHz  |
| RSS-195         | Wireless communications service equipment operating in the<br>bands (2305 to 2320) MHz and (2345 to 2360) MHz   |
| RSS-196         | Point-to-multipoint broadband equipment operating in the bands<br>512 to 608 MHz and 614 to 698 MHz for Rural Remote Broadband Systems<br>(RRBS) (TV Channels 21 to 51)       |
| RSS-197         | Wireless broadband access equipment operating in the band<br>(3650 to 3700) MHz   |
| RSS-199         | Broadband Radio Service (BRS) equipment operating in the band (2500 to 2690) MHz  |
| RSS-210         | Low power license exempt radio communication devices (All frequency bands)  |
| RSS-211         | Level Probing Radar Equipment   |
| RSS-213         | 2 GHz License exempt Personal Communications Service devices (PCS)  |
| RSS-215         | Analogue scanner receivers  |
| RSS-216         | Wireless Power Transfer Devices (Wireless Chargers)   |
| RSS-220         | Devices Using Ultra-Wideband (UWB) Technology   |
| RSS-222         | White Spaces Devices (WSDs)   |
| RSS-236         | General radio service equipment operating in the band (26.960 to 27.410) MHz  |
| RSS-238         | Shipborne Radar in the (2,900 to 3,100) MHz and (9,225 to 9,500) MHz Bands  |
| RSS-243         | Active medical implant communications system devices in the (402 to 405) MHz band   |
| RSS-244         | Medical Devices Operating in the Band (413 to 457) MHz  |
| RSS-247         | Digital Transmission Systems (DTSs), Frequency Hopping Systems (FHSs), and License-Exempt Local Area Network (LE-LAN) Devices (excluding DFS)                                 |
| RSS-251         | Field Disturbance Sensors in the Bands (46.7 to 46.9) GHz and (76 to 77) GHz  |
| RSS-252         | Intelligent transportation systems – dedicated short range communications (DSRC) – on-board unit (OBU)  |
| RSS-287         | Emergency Position Indicating Radio Beacons (EPIRB), Emergency Locator<br>Transmitters (ELT), Personal Locator Beacons (PLB), and Maritime Survivor<br>Locator Devices (MSLD) |
| RSS-288         | Global Maritime Distress and Safety System (GMDSS)  |
| RSS-310         | Low-power license exempt radio communication devices (All frequency bands)<br>Category II equipment   |
| RSS-GEN         | General requirements and information for the certification of radio   |
|                 | communication equipment   |

| <u>STANDARD</u>    | DESCRIPTION OF STANDARD   |
|--------------------|---|
| EUROPEAN UNION     |   |
| EN 12015           | Electromagnetic compatibility - Product family standard for lifts, escalators and passenger conveyors - Emission  |
| EN 12016           | Electromagnetic compatibility - Product family standard For lifts, escalators and passenger conveyors - Immunity  |
| EN 12184           | Electrically Powered Wheelchairs, Scooters And Their Chargers - Requirement<br>And Test Methods [Section 9.8 Only]  |
| EN 13763-26        | Explosives for civil uses – Detonators and relays – Part 26   |
| EN ISO 14982       | Agricultural and forestry machinery – Electromagnetic compatibility – Test methods and acceptance criteria  |
| EN 15194           | Cycles – Electrically power assisted cycles – EPAC Bicycles   |
| EN 50065-1         | Specification for signaling on low-voltage electrical installations in the frequency range (3 to 148.5) KHz - Part 1: General requirements, frequency bands and electromagnetic disturbances  |
| EN 50065-2-1, 2, 3 | Specification for signaling on low-voltage electrical installations in the frequency range (3 to 148.5) KHz - Part 2: Immunity requirements for mains communications equipment and systems operating in the range of frequencies (95 to 1485) KHz |
| EN 50083-2         | Cable networks for television signals, sound signals and interactive services -<br>Part 2 Electromagnetic compatibility for equipment   |
| EN 50121-1         | Railway applications - Electromagnetic compatibility - Part 1: General  |
| EN 50121-3-2       | Railway applications - Electromagnetic compatibility - Part 3-2: Rolling stock - Apparatus  |
| EN 50121-4         | Railway applications - Electromagnetic compatibility - Part 4: Emission and immunity of the signaling and telecommunications apparatus  |
| EN 50130-4         | Alarm systems - Part 4: Electromagnetic compatibility - Product family standar<br>- Immunity requirements for components of fire, intruder and social alarm<br>systems  |
| ENV 50204          | Radiated electromagnetic field from digital radio telephones - immunity test (900 MHz and 5 MHz Keyed Carrier)  |
| EN 50270           | Electromagnetic compatibility - Electrical apparatus for the detection and measurement of combustible gases, toxic gases or oxygen  |
| EN 50370-1         | Electromagnetic Compatibility (EMC) - Product family standard for machine tools - Part 1: Emissions   |
| EN 50370-2         | Electromagnetic Compatibility (EMC) - Product family standard for machine tools - Part 2: Immunity  |
| EN 50498           | Electromagnetic Compatibility (EMC) - Product family standard for aftermarke<br>electronic equipment in vehicles  |
| EN 55011           | Industrial, Scientific and Medical (ISM) radio-frequency equipment - Radio<br>disturbance characteristics - Limits and methods of measurement   |
| EN 55013           | Sound and television broadcast receivers and associated equipment - Radio disturbance characteristics - Limits and methods of measurement   |
| EN 55014-1         | Electromagnetic compatibility - Requirements for household appliances, electri tools and similar apparatus - Part 1: Emission [ <i>excluding clicks</i> ]   |
| EN 55014-2         | Electromagnetic compatibility - Requirements for household appliances, electri tools and similar apparatus - Part 2: Immunity - Product family standard   |

Info

| <u>STANDARD</u> | DESCRIPTION OF STANDARD  |
|-----------------|--|
| EUROPEAN UNIC   | N (cont)   |
| EN 55015        | Limits and methods of measurement of radio disturbance characteristics of              |
| LIV 55015       | electrical lighting and similar equipment  |
| EN 55020        | Sound and television broadcast receivers and associated equipment - Immunity           |
| LIN 33020       | characteristics - Limits and methods of measurement [ <i>excluding section 5.8</i> ]   |
| EN 55022        | Information technology equipment - Radio disturbance characteristics - Limits          |
| EN 33022        | and methods of measurement   |
| EN 55024        | Information technology equipment - Immunity characteristics - Limits and               |
| EN 33024        | methods of measurement   |
| ENI 55022       |  |
| EN 55032        | Electromagnetic compatibility of multimedia equipment – Emission                       |
| ENI 66026       | requirements   |
| EN 55035        | Electromagnetic compatibility of multimedia equipment - Immunity                       |
| TDI 55102 1     | requirements   |
| EN 55103-1      | Electromagnetic compatibility - Product family standard for audio, video, audio-       |
|                 | visual and entertainment lighting control apparatus for professional use -             |
|                 | Emission   |
| EN 55103-2      | Electromagnetic compatibility - Product family standard for audio, video, audio-       |
|                 | visual and entertainment lighting control apparatus for professional use -             |
|                 | Immunity   |
| EN 60601-1-2    | Medical electrical equipment - Part 1-2: General requirements for safety -             |
|                 | Collateral standard - Electromagnetic compatibility - requirements and tests           |
| EN 60601-2-2    | Medical electrical equipment – Part 2-2: Particular requirements for the safety of     |
|                 | high frequency surgical equipment  |
| EN 60601-2-4    | Medical electrical equipment - Part 2-4: Particular requirements for the safety of     |
|                 | cardiac defibrillators [EMC sections only]   |
| EN 60601-2-10   | Medical electrical equipment - Part 2-10: Particular requirements for the safety       |
|                 | of nerve and muscle stimulators [EMC sections only]                                    |
| EN 60601-2-12   | Medical electrical equipment - Part 2-12: Particular requirements for the safety       |
|                 | of lung ventilators - Critical care ventilators [EMC sections only]                    |
| EN 60601-2-22   | Medical electrical equipment - Part 2-22: Particular requirements for the safety       |
|                 | of diagnostic and therapeutic laser equipment [EMC sections only]                      |
| EN 60601-2-24   | Medical electrical equipment - Part 2-24: Particular requirements for the safety       |
|                 | of infusion pumps and controllers [EMC sections only]                                  |
| EN 60601-2-26   | Part 2-26: Particular requirements for the basic safety and essential performance      |
|                 | of electroencephalographs  |
| EN 60601-2-34   | Medical electrical equipment - Part 2-34: Particular requirements for the safety,      |
|                 | including essential performance, of invasive blood pressure monitoring                 |
|                 | equipment [ <i>EMC sections only</i> ]   |
| EN 60601-2-37   | Medical electrical equipment - Part 2-37: Particular requirements for the safety       |
|                 | of ultrasonic medical diagnostic and monitoring equipment [ <i>EMC sections only</i> ] |
| EN 60601-2-47   | Medical electrical equipment - Part 2-47: Particular requirements for the basic        |
|                 | safety and essential performance of ambulatory electrocardiographic systems            |
|                 | [ <i>EMC sections only</i> ]   |
| EN 60601-2-62   | Medical electrical equipment - Part 2-62 Particular requirements for the basic         |
| LIN 00001-2-02  | safety and essential performance of high intensity therapeutic ultrasound (HITU)       |
|                 | equipment  |
| EN 60730-1      | Automatic electrical controls for household and similar use - Part 1: General          |
| LIN 00/30-1     |  |
|                 | requirements [EMC Sections Only]   |

Info

| <b>STANDARD</b>     | DESCRIPTION OF STANDARD  |
|---------------------|--|
| EUROPEAN UNIO       | N (cont)   |
| EN 60730-2-5 thru 9 |  |
| 11, 13, 14, 18      | requirements   |
| EN 60945            | Maritime navigation and radio communication equipment and systems - General      |
|                     | requirements - Methods of testing and required test results                      |
| EN 60974-10         | Arc welding equipment - Part 10: Electromagnetic compatibility (EMC)             |
| LI( 00)/110         | requirements   |
| EN 61000-3-2        | Electromagnetic Compatibility (EMC) - Part 3 Limits - Section 2 Limits for       |
| LIV 01000 5 2       | harmonic current emissions (equipment input current ≤16 A per phase)             |
| EN 61000-3-3        | Electromagnetic Compatibility (EMC) - Part 3 Limits - Section 3 - Limitation of  |
| LIN 01000-5-5       | voltage fluctuations and flicker in low-voltage supply systems for equipment     |
|                     | with rated current $\leq 16$ A   |
| EN 61000-4-2        | Electromagnetic compatibility (EMC) - Part 4-2 Testing and measurement           |
| LIN 01000-4-2       | techniques - Electrostatic discharge immunity test                               |
| EN 61000-4-3        | Electromagnetic compatibility (EMC) - Part 4-3 Testing and measurement           |
| LIN 01000-4-5       | techniques - Radiated, radio-frequency, electromagnetic field immunity test      |
| EN 61000-4-4        | Electromagnetic compatibility (EMC) - Part 4-4 Testing and measurement           |
| EN 01000-4-4        | techniques - Electrical fast transient/burst immunity test                       |
| EN 61000-4-5        | Electromagnetic compatibility (EMC) - Part 4-5 Testing and measurement           |
| EN 01000-4-5        | techniques - Surge immunity test   |
| EN 61000-4-6        | Electromagnetic compatibility (EMC) - Part 4-6 Testing and measurement           |
| EN 01000-4-0        | techniques - Immunity to conducted disturbances, induced by radio-frequency      |
|                     | fields   |
| EN 61000-4-8        | Electromagnetic compatibility (EMC) - Part 4-8 - Testing and measurement         |
| EN 01000-4-8        | techniques - Section 8 Power frequency magnetic field immunity test basic EMC    |
|                     | publication  |
| EN 61000-4-11       | Electromagnetic compatibility (EMC) - Part 4-11 Testing and measuring            |
| LIN 01000-4-11      | techniques - Section 11 Voltage dips, short interruptions and voltage variations |
|                     | immunity tests   |
| EN 61000-4-13       | Electromagnetic compatibility (EMC) - Part 4-13 Testing and measuring            |
| LIN 01000-T-13      | techniques - Section 13 Harmonics and interharmonics including mains signaling   |
|                     | at a.c. power port, low frequency immunity tests                                 |
| EN 61000-6-1        | Electromagnetic Compatibility (EMC) Generic standards - Immunity for             |
|                     | residential, commercial and light-industrial environments                        |
| EN 61000-6-2        | Electromagnetic Compatibility (EMC) Generic standards - Immunity for             |
| LIV01000-0-2        | industrial environments  |
| EN 61000-6-3        | Electromagnetic Compatibility (EMC) Emission standard for residential,           |
| LIN 01000-0-5       | commercial and light-industrial environments                                     |
| EN 61000-6-4        | Electromagnetic Compatibility (EMC) Emission standard for industrial             |
| D14 01000-0-4       | environments   |
| EN 61131-2          | Programmable controllers, Equipment requirements and tests [ <i>EMC sections</i> |
| LIN 01131-2         | only]  |
| EN 61204-3          | Low voltage power supplies, DC output - Part 3: Electromagnetic Compatibility    |
| LIN 01204-3         | (EMC)  |
| EN 61226 1          |  |
| EN 61326-1          | Electrical equipment for measurement, control and laboratory use - EMC           |
|                     | requirements - Part 1: General requirements                                      |

Info

| <b>STANDARD</b>                    | DESCRIPTION OF STANDARD  |
|------------------------------------|--|
|                                    |  |
| EUROPEAN UNIC<br>EN 61326-2-1 thru |  |
| EN 01520-2-1 ultu                  | requirements - Part 2-1: Particular requirements - Test configurations,                        |
|                                    |  |
| ENI (1547                          | operational conditions and performance criteria  |
| EN 61547                           | Equipment for general lighting purposes - EMC immunity requirements                            |
| EN 61850-3                         | Communication Networks and Systems in Substations<br>[ <i>excluding 5.7.1.3 and 5.7.3</i> ]    |
| EN 62040-2                         | Uninterruptible power systems (UPS) - Part 2: Electromagnetic compatibility (EMC) requirements |
| EN 62061                           | Safety of machinery – functional safety of safety related electrical, electronic &             |
|                                    | programmable control systems [section 6.4.3, ref Annex E]                                      |
| EN 62233                           | Measurement methods for electromagnetic fields of household appliances and                     |
| 211 02200                          | similar apparatus with regard to human exposure.   |
| EN 62311                           | Assessment of electronic and electrical equipment related to human exposure                    |
| 21, 02011                          | restrictions for electromagnetic fields (0Hz to 300GHz)  |
| EN 62479                           | Assessment of the compliance of low power electronic and electrical equipment                  |
|                                    | with the basic restrictions related to human exposure to electromagnetic fields                |
|                                    | (10 MHz to 300 GHz)  |
| EN 300 086                         | Land Mobile Service; Radio equipment with an internal or external RF                           |
| LIN 300 080                        | connector intended primarily for analogue speech   |
| EN 300 086-2                       | Electromagnetic compatibility and Radio Spectrum Matters (ERM) - Land                          |
| EN 300 080-2                       | mobile service - Radio equipment with an internal or external RF connector                     |
|                                    | intended primarily for analogue speech   |
| EN 300 113-2                       | Electromagnetic compatibility and Radio Spectrum Matters (ERM) - Land                          |
| EN 300 113-2                       |  |
|                                    | mobile service - Radio equipment intended for the transmission of data (and/or                 |
|                                    | speech) using constant or non-constant envelope modulation and having an antenna connector     |
| EN 300 219-2                       |  |
| EN 300 219-2                       | Electromagnetic compatibility and Radio Spectrum Matters (ERM) - Land                          |
|                                    | mobile service - Radio equipment transmitting signals to initiate a specific                   |
| EN 200 220 2                       | response in the receiver   |
| EN 300 220-2                       | Electromagnetic compatibility and Radio Spectrum Matters (ERM) - Short                         |
|                                    | Range Devices (SRD) - Radio equipment to be used in the (25 to 1000) MHz                       |
| EN 200-224 2                       | frequency range with power levels ranging up to 500 mW   |
| EN 300 224-2                       | Electromagnetic Compatibility and Radio Spectrum Matters (ERM) - On-site                       |
| EN 200 200                         | paging service   |
| EN 300 328                         | Electromagnetic Compatibility and Radio Spectrum Matters (ERM) - Wideband                      |
|                                    | transmission systems - Data transmission equipment operating in the 2.4 GHz                    |
|                                    | ISM band and using spread spectrum modulation techniques                                       |
| EN 300 330-2                       | Electromagnetic Compatibility and Radio Spectrum Matters (ERM) - Short                         |
|                                    | Range Devices (SRD) - Radio equipment in the frequency range (9 KHz to 25                      |
|                                    | MHz) and inductive loop systems in the frequency range (9 KHz to 30 MHz)                       |
| EN 300 386                         | Electromagnetic Compatibility and Radio Spectrum Matters (ERM) -                               |
|                                    | Telecommunication network equipment - Electromagnetic Compatibility (EMC)                      |
|                                    | requirements   |
| EN 300 422-1                       | Wireless Microphones; Audio PMSE up to 3 GHz; Part 1: Class A Receivers                        |
| EN 300 422-2                       | Electromagnetic Compatibility and Radio Spectrum Matters (ERM) - Wireless                      |
|                                    | microphones in the (25 MHz to 3 GHz) frequency range   |

Info

| <u>STANDARD</u>       | DESCRIPTION OF STANDARD  |
|-----------------------|--|
| <b>EUROPEAN UNION</b> |  |
| EN 300 433-2          | Electromagnetic Compatibility and Radio Spectrum Matters (ERM) - Land<br>mobile service - Double Side Band (DSB) and/or Single Side Band (SSB)   |
|                       | amplitude modulated citizen's band radio   |
| EN 300 440-2          | Electromagnetic Compatibility and Radio Spectrum Matters (ERM) - Short   |
|                       | range devices - Radio equipment to be used in the (1 to 40) GHz frequency range  |
| EN 300 454-2          | Electromagnetic Compatibility and Radio Spectrum Matters (ERM) - Wide band audio links   |
| EN 301 357-2          | Electromagnetic Compatibility and Radio Spectrum Matters (ERM) - Cordless<br>audio devices in the range (25 to 2000) MHz - Consumer radio microphones and<br>in-ear monitoring systems operating in the CEPT harmonized band<br>(863 to 865) MHz |
| EN 301 489-1          | Electromagnetic Compatibility and Radio Spectrum Matters (ERM) -<br>Electromagnetic Compatibility (EMC) standard for radio equipment and services<br>- Part 1 Common technical requirements  |
| EN 301 489-2 thru     | Electromagnetic Compatibility and Radio Spectrum Matters (ERM) -   |
| 35, 50                | Electromagnetic Compatibility (EMC) standard for radio equipment and services<br>Parts 2 thru 34, specific conditions  |
| EN 301 502            | Harmonized EN for Global System for Mobile communications (GSM) - Base   |
| 111301302             | Station and Repeater equipment   |
| EN 301 840-2          | Electromagnetic Compatibility and Radio Spectrum Matters (ERM) - Digital wireless microphones operating in the CEPT harmonized band  |
|                       | (1785 to 1800) MHz   |
| EN 301 893            | Broadband Radio Access Networks (BRAN) - 5 GHz high performance RLAN [except DFS testing]  |
| EN 301 908-1 thru 22  | Electromagnetic Compatibility and Radio Spectrum Matters (ERM) - Base Stations (BS) and Repeaters for IMT-2000 Third-Generation cellular networks [-1, -3, -5, -7, -9, -11, -12, -14, -15, -17, -18, -20 & -22]                                  |
| EN 302 064-2          | Electromagnetic compatibility and Radio spectrum Matters (ERM) - Wireless<br>Video Links (WVL) operating in the (1.3 to 50) GHz frequency band   |
| EN 302 065            | Electromagnetic compatibility and Radio spectrum Matters (ERM) - Ultra<br>WideBand (UWB) technologies for communication purposes   |
| EN 302 066-2          | Electromagnetic compatibility and Radio spectrum Matters (ERM); Ground- and Wall- Probing Radar applications (GPR/WPR) imaging systems   |
| EN 302 195            | Short Range Devices (SRD); Ultra Low Power Active Medical Implants (ULP-<br>AMI) and accessories (ULP-AMI-P) operating in the frequency range (9 to 315)<br>KHz  |
| EN 302 195-2          | Electromagnetic compatibility and Radio spectrum Matters (ERM) - Radio<br>equipment in the frequency range (9 to 315) KHz for Ultra Low Power Active<br>Medical Implants (ULP-AMI) and accessories   |
| EN 302 208-2          | Electromagnetic compatibility and Radio spectrum Matters (ERM) - Radio   |
|                       | Frequency Identification Equipment operating in the band (865 to 868) MHz with power levels up to 2 W  |
| EN 302 291-2          | Electromagnetic compatibility and Radio spectrum Matters (ERM) - Short<br>Range Devices (SRD) - Close Range Inductive Data Communication equipment<br>operating at 13.56 MHz   |

| <u>STANDARD</u>   | DESCRIPTION OF STANDARD  |
|-------------------|--|
| EUROPEAN UNION    | (cont.)  |
| EN 302 326-2      | Fixed Radio Systems; Multipoint Equipment and Antennas; Part 2:                  |
|                   | Digital Multipoint Radio Equipment   |
| EN 302 326-3      | Fixed Radio Systems; Multipoint Equipment and Antennas; Part 3:                  |
|                   | Multipoint Radio Antennas  |
| EN 302 500-2      | Electromagnetic compatibility and Radio spectrum Matters (ERM) - Short           |
|                   | Range Devices (SRD) using Ultra WideBand (UWB) technology - location             |
|                   | tracking equipment operating in the frequency range from (6 to 8.5) GHz          |
| EN 302 502        | Broadband Radio Access Networks (BRAN) – 5.8 GHz fixed broadband data            |
|                   | transmitting systems   |
| EN 302 645        | Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Rang       |
|                   | Devices; Global Navigation Satellite Systems (GNSS) Repeaters                    |
| EU Regulation No  | EU Regulation on the approval and market surveillance of agricultural and        |
| 167/2013          | forestry vehicles  |
| EU Directive      | EU Directive establishing a framework for the approval of motor vehicles and     |
| 2007/46/EC        | their trailers, and of systems, components and separate technical units intended |
|                   | for such vehicles  |
| EU Regulation No  | EU Regulation on the approval and market surveillance of two- or three-wheel     |
| 168/2013          | vehicles and quadricycles  |
| EU Regulation No  | EU Regulation concerning type-approval requirements for the general safety of    |
| 661/2009          | motor vehicles, their trailers and systems, components and separate technical    |
|                   | units intended therefor  |
|                   |  |
| UNITED NATIONS    |  |
| UN/ECE Addendum   | Concerning the Adoption of Uniform Technical Prescription for Wheeled            |
| 9 Reg 10          | Vehicles, Equipment and Parts which can be Fitted and/or be Used on Wheeled      |
| UN/ECE Addendum   | Vehicles and the Conditions for Reciprocal Recognition and Approvals Grantee     |
| 9 Reg 10 Rev 5    | on the Basis of these Prescriptions.   |
| UN/ECE Addendum   |  |
| 9 Reg 10 Rev 4+A1 | Uniform provisions concerning the approval of vehicles with regard to            |
| UN/ECE Addendum   | electromagnetic compatibility  |
| 9 Reg 10 Rev 4    |  |
|                   |  |
| IMDA SINGAPORE    |  |
| IMDA TS CT-CTS    | Technical specification for cordless telephone and cordless telecommunication    |
|                   | systems [excluding dect and phs]   |
| IMDA TS SRD       | Technical specification for short range devices                                  |
| IMDA TS AR        | Technical specification for amateur radio equipment                              |
| IMDA TS WBA       | Technical specification for wireless broadband access (WBA) equipment            |
| IMDA TS LMR       | Technical specification for land mobile radio equipment                          |
| IMDA TS CBS       | Technical specification for cellular base station and repeater system            |
| IMDA TS UWB       | Technical specification for ultra-wideband (UWB) devices                         |
| IMDA TS GMPCS     | Technical specification for global mobile personal communication by satellite    |
|                   | (GMPCS) terminals  |

Info

| <b>STANDARD</b>          | DESCRIPTION OF STANDARD  |
|--------------------------|--|
| INTERNATIONAL S          |  |
| CISPR 11                 | Industrial, scientific and medical (ISM) radio-frequency equipment -               |
|                          | Electromagnetic disturbance characteristics - Limits and methods of                |
|                          | measurement  |
| CISPR 13                 | Sound and television broadcast receivers and associated equipment - Radio          |
| CISI K 15                | disturbance characteristics - Limits and methods of measurement                    |
| CISPR 14-1               |  |
| CISPK 14-1               | Electromagnetic compatibility - Requirements for household appliances, electric    |
| CIODD 14.2               | tools and similar apparatus - Part 1: Emission [ <i>excluding clicks</i> ]         |
| CISPR 14-2               | Electromagnetic compatibility - Requirements for household appliances, electric    |
|                          | tools, and similar apparatus - Part 2: Immunity-Product Family Standard            |
| CISPR 15                 | Limits and methods of measurement of radio disturbance characteristics of          |
|                          | electrical lighting and similar equipment  |
| CISPR 20                 | Sound and television broadcast receivers and associated equipment - Immunity       |
|                          | characteristics - Limits and methods of measurement [excluding section 5.8]        |
| CISPR 22                 | Information technology equipment - Radio disturbance characteristics - Limits      |
|                          | and methods of measurement   |
| CISPR 24                 | Information technology equipment - Immunity characteristics - Limits and           |
|                          | methods of measurement   |
| CISPR 25                 | Radio disturbance characteristics for the protection of receivers used on board    |
|                          | vehicles, boats, and on devices - Limits and methods of measurement                |
|                          | [excluding sections 5 and 6.5]   |
| CISPR 25 (2008)          | Radio disturbance characteristics for the protection of receivers used on board    |
| (2002+COR1:2004)         | vehicles, boats, and on devices - Limits and methods of measurement                |
| (2002 + COR1.2004)       | [excluding sections 5 and 6.5]   |
| CISPR 32                 |  |
| CISPR 52                 | Electromagnetic compatibility of multimedia equipment – Emission                   |
| CICDD 25                 | requirements   |
| CISPR 35                 | Electromagnetic compatibility of multimedia equipment - Immunity                   |
| <b>H</b> C (0 <b>522</b> | requirements   |
| IEC 60533                | Electromagnetic compatibility of electrical and electronic installations in ships  |
| IEC 60601-1-2            | Medical electrical equipment - Part 1: General requirements for safety 2 -         |
|                          | Collateral standard - Electromagnetic compatibility - Requirements and tests       |
| IEC 60601-2-2            | Medical electrical equipment - Part 2-2: Particular requirements for the safety of |
|                          | high frequency surgical equipment  |
| IEC 60601-2-10           | Medical electrical equipment - Part 2-10: Particular requirements for the safety   |
|                          | of nerve and muscle stimulators [EMC sections only]                                |
| IEC 60601-2-24           | Medical electrical equipment - Part 2-24 Particular requirements for the safety of |
|                          | infusion pumps and controllers [EMC sections only]                                 |
| IEC 60601-2-26           | Part 2-26: Particular requirements for the basic safety and essential performance  |
|                          | of electroencephalographs  |
| IEC 60601-2-34           | Medical electrical equipment – Part 2-34: Particular requirements for the basic    |
|                          | safety and essential performance of invasive blood pressure monitoring             |
| Ť                        | equipment  |
| IEC 60601-2-37           | Medical electrical equipment - Part 2-37: Particular requirements for the basic    |
| 120 00001-2-37           |  |
| -                        | safety and essential performance of ultrasonic medical diagnostic and monitoring   |
| IEC (0(01 2 47           | equipment  |
| IEC 60601-2-47           | Medical electrical equipment - Part 2-47: Particular requirements for the safety,  |
|                          | including essential performance, of ambulatory electrocardiographic systems.       |

Info

| <u>STANDARD</u>      | DESCRIPTION OF STANDARD   |
|----------------------|---|
| INTERNATIONAL S      | STANDARDS (cont.)   |
| IEC 60601-2-62       | Medical electrical equipment - Part 2-62 Particular requirements for the basic    |
|                      | safety and essential performance of high intensity therapeutic ultrasound (HITU)  |
|                      | equipment   |
| IEC 60945            | Maritime navigation and radio communication equipment and systems - General       |
|                      | requirements - Methods of testing and required test results                       |
| IEC 60974-10         | Arc welding equipment - Part 10: Electromagnetic compatibility (EMC)              |
|                      | requirements  |
| IEC 61000-3-2        | Electromagnetic Compatibility (EMC) - Part 3 Limits - Section 2 Limits for        |
|                      | harmonic current emissions (equipment input current $\leq 16$ A per phase)        |
| IEC 61000-3-3        | Electromagnetic Compatibility (EMC) - Part 3 Limits - Section 3 - Limitation of   |
|                      | voltage fluctuations and flicker in low-voltage supply systems for equipment      |
|                      | with rated current $\leq 16$ A  |
| IEC 61000-4-2        | Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement           |
| ILC 01000-4-2        | techniques - Electrostatic discharge immunity test                                |
| IEC 61000-4-3        | Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement           |
| IEC 01000-4-5        | techniques - Radiated, radio-frequency, electromagnetic field immunity test       |
| IEC 61000-4-4        | Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement           |
| IEC 01000-4-4        | techniques - Electrical fast transient/burst immunity test                        |
| IEC (1000 4 5        |   |
| IEC 61000-4-5        | Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement           |
| IEC (1000 4 (        | techniques - Surge immunity test  |
| IEC 61000-4-6        | Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement           |
|                      | techniques - Immunity to conducted disturbances, induced by radio-frequency       |
| IEC (1000 4 0        | fields  |
| IEC 61000-4-8        | Electromagnetic compatibility (EMC) - Part 4-8: Testing and measurement           |
|                      | techniques - Section 8 Power frequency magnetic field immunity test basic EMC     |
| IEC (1000 4 11       | publication   |
| IEC 61000-4-11       | Electromagnetic compatibility (EMC) - Part 4-11: testing and measuring            |
|                      | techniques - Section 11 Voltage dips, short interruptions and voltage variations  |
| IEG (1000 1 10       | immunity tests  |
| IEC 61000-4-13       | Electromagnetic compatibility (EMC) - Part 4-13 Testing and measuring             |
|                      | techniques - Section 13 Harmonics and interharmonics including mains signaling    |
|                      | at a.c. power port, low frequency immunity tests                                  |
| IEC 61000-6-1        | Electromagnetic capability (EMC) - Part 6-1 Generic Standards - Immunity for      |
|                      | residential, commercial, and light-industrial environments                        |
| IEC 61000-6-2        | Electromagnetic Capability (EMC) - Part 6-2 Generic Standards - Immunity for      |
|                      | industrial environments   |
| IEC 61000-6-3        | Electromagnetic Capability (EMC) - Part 6-3 Generic Standards - Emissions         |
|                      | standard for residential, commercial, and light-industrial environments           |
| IEC 61000-6-4        | Electromagnetic Capability (EMC) - Part 6-4 Generic Standards – Immunity for      |
|                      | residential, commercial, and light-industrial environments                        |
| IEC 61131-2          | Programmable controllers - Part 2: Equipment requirements and tests [EMC          |
|                      | sections only]  |
| IEC 61326-1          | Electrical equipment for measurement, control and laboratory use - EMC            |
|                      | requirements - Part 1: General requirements                                       |
| IEC 61326-2-1 thru 6 |   |
|                      | requirements - Parts 2-1 thru 2-6: Particular requirements - Test configurations, |
|                      | operational conditions and performance criteria                                   |

Info

| <b>STANDARD</b>                        | DESCRIPTION OF STANDARD  |
|--|--|
| ΙΝΤΕΡΝΑΤΙΟΝΙΑ                          | CTANDADDS (cost)   |
| IEC 61326-3-1, 2                       | <u>L STANDARDS (cont.)</u><br>Electrical equipment for measurement, control and laboratory use - EMC   |
| IEC 01520-5-1, 2                       | requirements - Part 3-1 Immunity requirements for safety-related systems and for   |
|  |  |
| IEC (1547                              | equipment intended to perform safety-related functions (functional safety)   |
| IEC 61547                              | Equipment for general lighting purposes - EMC immunity requirements  |
| IEC 61850-3                            | Communication Networks and Systems in Substations  |
| <b>TH C C C C C</b>                    | [excluding sections 5.7.1.3 and 5.7.3]   |
| IEC 62061                              | Safety of machinery – functional safety of safety related electrical, electronic &   |
|  | programmable control systems [EMC section 6.4.3, ref Annex E]  |
| IEC 62233                              | Measurement methods for electromagnetic fields of household appliances and   |
|  | similar apparatus with regard to human exposure.   |
| IEC 62311                              | Assessment of electronic and electrical equipment related to human exposure  |
|  | restrictions for electromagnetic fields (0 Hz to 300 GHz)  |
| IEC 62479                              | Assessment of the compliance of low power electronic and electrical equipment  |
|  | with the basic restrictions related to human exposure to electromagnetic fields  |
|  | (10 MHz to 300 GHz)  |
| IEEE 1613                              | Environmental and Testing Requirements for Communications Networking   |
|  | Devices Installed in Electric Power Substations  |
|  |  |
| ISO                                    |  |
| ISO 7637-1: 1990                       | Road vehicles – Electrical disturbance by conduction and coupling – Part 1   |
|  | Passenger cars and light commercial vehicles with nominal 12 V supply voltage  |
|  | - Electrical transient conduction along supply lines only  |
| ISO 7637-2                             | Road vehicles - Electrical disturbances from conduction and coupling -   |
| 150 7057 2                             | Part 2: Electrical transient conduction along supply lines only  |
| ISO 7637-2: 1990                       | Road vehicles – Electrical disturbance by conduction and coupling – Part 2   |
| 150 7057-2. 1990                       | Commercial vehicles with nominal 24 V supply voltage – Electrical transient  |
|  | conduction along supply lines only   |
| ISO 7637-2:2004                        | Road vehicles - Electrical disturbances from conduction and coupling - Part 2:   |
| 150 7057-2.2004                        |  |
| 150 7627 2.                            | Electrical transient conduction along supply lines only  |
| ISO 7637-2:                            | Road vehicles - Electrical disturbances from conduction and coupling -   |
| 2004+A1                                | Part 2: Electrical transient conduction along supply lines only ( <i>Except Pulse 5</i>  |
|  | calibration into 2 ohms $T_d$ meets 400ms $\pm$ 80ms)  |
| ISO 7637-3                             | Road vehicles - Electrical disturbances from conduction and coupling -   |
| ISO 7637-3: 2016                       | Part 3: - Electrical transient transmission by capacitive and inductive coupling   |
| ISO 7637-3: 2007                       | via lines other than supply lines  |
| ISO 10605                              | Road vehicles - Test methods for electrical disturbances from electrostatic  |
| ISO 10605: 2008                        | discharge  |
| ISO 10605: 2001                        | ×  |
| ISO 11452-2                            | Road vehicles - Component test methods for electrical disturbances from  |
|  | narrowband radiated electromagnetic energy - Part 2: Absorber-lined shielded   |
|  | enclosure  |
| ISO 11452-4                            | Road vehicles - Component test methods for electrical disturbances from  |
| ISO 11452-4: 2011                      | narrowband radiated electromagnetic energy - Part 4: Harness excitation  |
|  | methods (BCI method only)  |
|  |  |
| ISO 11452-4: 2005                      | Road venicles - Component test methods for electrical disturbances from  |
| ISO 11452-4: 2005<br>ISO 11452-4: 2001 | Road vehicles - Component test methods for electrical disturbances from<br>narrowband radiated electromagnetic energy - Part 4: Bulk current injection |

Info

| STANDARD DESCRIPTION OF STANDARD       |  |  |
|--|--|--|
| <u>ISO (cont.)</u>                     |  |  |
| ISO 11452-8                            | Road vehicles - Component test methods for electrical disturbances from          |  |
| ISO 11452-8: 2015                      |  |  |
| ISO 11452-8: 2015<br>ISO 11452-8: 2007 | narrowband radiated electromagnetic energy - Part 8: Immunity to magnetic fields |  |
| ISO 11452-8. 2007<br>ISO 11452-10      | Road vehicles – Component test methods for electrical disturbances from          |  |
| 150 11452-10                           | narrowband radiated electromagnetic energy – Part 10 Immunity to conducted       |  |
|  |  |  |
| 100 127((                              | disturbances in the extended audio frequency range                               |  |
| ISO 13766                              | Earth-moving machinery - Electromagnetic compatibility                           |  |
| ISO 14982                              | Agricultural and forestry machinery - Electromagnetic compatibility -            |  |
|  | Test methods and acceptance criteria   |  |
| <u>JAPAN</u>                           |  |  |
| VCCI V-3                               | Technical Requirements [Note: 5 meter or less test distance]                     |  |
| (up to 6 GHz)                          |  |  |
| VCCI-CISPR                             | Electromagnetic compatibility of multimedia equipment – Emission                 |  |
| 32:2016                                | Requirements   |  |
|  |  |  |
| SAE                                    |  |  |
| SAE J551-1                             | Performance levels and methods of measurement of electromagnetic                 |  |
|  | compatibility of vehicles, boats (up to 15 m), and machines (16.6 Hz to 18 GHz   |  |
| SAE J551-2                             | Test limits and methods of measurement of radio disturbance characteristics of   |  |
|  | vehicles, motorboats, and spark-ignited engine-driven devices                    |  |
| SAE J551-4                             | Test limits and methods of measurement of radio disturbance characteristics of   |  |
|  | vehicles and devices, broadband and narrowband, (150 KHz to 1000 MHz)            |  |
| SAE J551-5                             | Performance levels and methods of measurement of magnetic and electric field     |  |
|  | strength from electric vehicles, broadband, (9 KHz to 30 MHz)                    |  |
| SAE J551-11<br>SAE J551-12             | Vehicle electromagnetic immunity - off-vehicle source                            |  |
|  | Vehicle electromagnetic immunity - on-board transmitter simulation               |  |
| SAE J551-13                            | (R) Vehicle electromagnetic immunity - bulk current injection                    |  |
| SAE J551-15                            | Performance level and methods of measurement of electromagnetic                  |  |
|  | compatibility of vehicles, boats (up to 15 m), and machines (50 Hz to 15 GHz)    |  |
|  | Part 15 vehicle electromagnetic immunity - electrostatic discharge (ESD)         |  |
| SAE J551-17                            | (R) Vehicle electromagnetic immunity - power line magnetic fields                |  |
| SAE J1113-2                            | Electromagnetic compatibility measurement procedures and limits for vehicle      |  |
|  | components (except aircraft) - conducted immunity, (15 Hz to 250 KHz) - all      |  |
|  | leads  |  |
| SAE J1113-4                            | Immunity to radiated electromagnetic fields – Bulk current injection (BCI)       |  |
| SAE J1113-4: 2014                      | method   |  |
| SAE J1113-4: 2004                      |  |  |
| SAE J1113-11                           | Immunity to conducted transients on power leads                                  |  |
| SAE J1113-11: 2012                     | · · · ·  |  |
| SAE J1113-11: 2007                     |  |  |
| SAE J1113-12                           | Electrical interference by conduction and coupling - capacitive and inductive    |  |
|  | coupling via lines other than supply lines                                       |  |

Info

| <b>STANDARD</b>    | DESCRIPTION OF STANDARD  |
|--------------------|--|
| <u>SAE (cont.)</u> |  |
| SAE J1113-13       | Electromagnetic compatibility measurement procedure for vehicle components -   |
| SAE J1113-13: 2015 |  |
| SAE J1113-13: 2011 |  |
| SAE J1113-13: 2004 |  |
| SAE J1113-21       | Electrical interference by conduction and coupling - coupling clamp and  |
| chattering relay   |  |
| SAE J1113-22       | Electromagnetic compatibility measurement procedure for vehicle components -   |
|                    | Part 22 - immunity to radiated magnetic fields   |
| SAE J1113-26       | Electromagnetic compatibility measurement procedure for vehicle components -   |
| SAE J1113-26: 2013 |  |
| SAE J1113-26: 2014 |  |
| SAE J1113-26: 2006 | 5  |
| SAE J1113-41       | Limits and methods of measurement of radio disturbance characteristics of  |
|                    | components and modules for the protection of receivers used on board vehicles  |
| SAE J1455          | Joint SAE/TMC recommended environmental practices for electronic equipment   |
|                    | design (heavy-duty trucks)   |
|                    | [Sections: 4.13.1, 4.13.2 and 4.13.3]  |
| SAE J1752-2        | Measurement of radiated emissions from integrated circuits - surface scan method (loop probe method) (10 MHz to 3 GHz) |
| SAE J1752-3        | (R) Measurement of radiated emissions from integrated circuits - TEM/wideband  |
|                    | TEM (GTEM) cell method; TEM cell (150 kHz to 1 GHz),   |
|                    | wideband TEM cell (150 KHz to 8 GHz) [up to 1.2GHz]  |
|                    |  |
| <u>TAIWAN</u>      |  |
| LP0002             | Low-power Radio-frequency Devices Technical Regulations [excluding DFS   |
|                    | and SAR]   |
| UNITED STATES      |  |
| 47 CFR PART 2      | Frequency Allocations and Radio Treaty Matters; General Rules and Regulations  |
| 47 CFR PART 11     | Emergency alert system (EAS)   |
| ANSI C63.26        | Standard for Compliance Testing of Transmitters Used in Licensed Radio   |
|                    | Services   |
| 47 CFR PART 15     | Radio frequency devices [ <i>excluding 15E DFS</i> ]   |
| 47 CFR PART 18     | Industrial, scientific and medical equipment   |
| 47 CFR PART 20;    | Commercial mobile services   |
| FCC KDB 935210     |  |
| D03 (v04);         |  |
| FCC KDB 935210     |  |
| D04 (v02);         |  |
| FCC KDB 935210     |  |
| D05 (v01r01)       |  |
| 47 CFR PART 22     | Public mobile services   |
| 47 CFR PART 24     | Personal communications services   |
| 47 CFR PART 25     | Satellite communications   |
| 47 CFR PART 27     | Miscellaneous wireless communication services  |
| 47 CFR PART 73     | Radio broadcast services   |
| $\tau$             | Turio bioaduast services   |

Info

| <u>STANDARD</u>                 | DESCRIPTION OF STANDARD   |  |
|---------------------------------|---|--|
| UNITED STATES (                 | cont.)  |  |
| 47 CFR PART 74                  | Experimental radio, auxiliary, and special broadcast and other program distributional services  |  |
| 47 CFR PART 80                  | Stations in the maritime services   |  |
| 47 CFR PART 87                  | Aviation services   |  |
| 47 CFR PART 90                  | Private land mobile radio services  |  |
| 47 CFR PART 95                  | Personal radio services   |  |
| 47 CFR PART 96                  | Citizens broadband radio services   |  |
| 47 CFR PART 97                  | Amateur radio services  |  |
| 47 CFR PART 101                 | Fixed microwave services  |  |
| ANSI RESNA WC<br>VOL.2          | Electrically powered wheelchairs, scooters and their chargers - requirements and test methods<br>[Section 21 only]  |  |
| DO 160<br>A/B/C/D/E/F/G         | Environmental conditions and test procedures of airborne equipment.<br>[Sections: 15-22 & 25]   |  |
| MIL-STD-461A/B/C<br>MIL-STD-462 | <ul> <li>Electromagnetic emission and susceptibility requirements for the control of electromagnetic interference:</li> <li>[Emissions tests: CE01-07, RE01-03]</li> <li>[Susceptibility tests CS01-12, RS01-03, RS06]</li> </ul>   |  |
| MIL-STD-461D/E/F                | Electromagnetic emission and susceptibility requirements for the control of<br>electromagnetic interference:<br>[Emissions tests: CE101, CE102, & CE106, RE101-103]<br>[Susceptibility tests CS101, CS103, CS104, CS105, CS106, CS109, CS114,<br>CS115, CS116, RS101, RS103]      |  |
| MIL-STD-461G                    | Electromagnetic emission and susceptibility requirements for the control of<br>electromagnetic interference:<br>[Emissions tests: CE101, CE102, CE106, RE101-103]<br>[Susceptibility tests CS101, CS103, CS104, CS105, CS109, CS114, CS115,<br>CS116, CS117, CS118, RS101, RS103] |  |
| ANSI C63.4:2003                 | American National Standard for Methods of Measurement of Radio-Noise<br>Emissions from Low-Voltage Electrical and Electronic Equipment in the Range<br>of (9 KHz to 40 GHz)   |  |
| ANSI C63.4:2009                 | American National Standard for Methods of Measurement of Radio-Noise<br>Emissions from Low-Voltage Electrical and Electronic Equipment in the Range<br>of (9 KHz to 40 GHz)   |  |
| ANSI C63.4:2014                 | American National Standard for Methods of Measurement of Radio-Noise<br>Emissions from Low-Voltage Electrical and Electronic Equipment in the Range<br>of (9 KHz to 40 GHz)   |  |
| ANSI C63.10:2013                | American national standard for testing unlicensed wireless devices  |  |
| ANSI C63.17:2013                | American National Standard for Methods of Measurement of the<br>Electromagnetic and Operational Compatibility of Unlicensed Personal<br>Communications Services (UPCS) Devices  |  |
| FCC MP-5 (1986)                 | Methods of Measurements of Radio Noise Emissions from Industrial, Scientific and Medical equipment  |  |
| ANSI/TIA 603D;                  | Land Mobile FM or PM Communications Equipment Measurement and   |  |
| TIA-102.CAAA-D                  | Performance Standards.  |  |

Info

| <b>STANDARD</b> | DESCRIPTION OF STANDARD   |
|-----------------|---|
|                 |   |
| <b>VIETNAM</b>  |   |
| TCVN 7189       | Information technology equipment - Radio disturbance characteristics - Limits<br>and methods of measurement |
| TCVN 7317       | Information technology equipment - Immunity characteristics - Limits and methods of measurement             |

Testing Activities Performed in Support of FCC Declaration of Conformity and Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1:

| Rule Subpart/Technology  | Test Method                    | Maximum<br>Frequency |  |  |  |  |
|--|--------------------------------|----------------------|--|--|--|--|
| Unintentional Radiators  |                                |                      |  |  |  |  |
| Part 15B   | ANSI C63.4:2014                | 220 GHz              |  |  |  |  |
| ndustrial, Scientific, and Medical Equipment                                 |                                |                      |  |  |  |  |
| Part 18  | FCC MP-5 (February 1986)       | 220 GHz              |  |  |  |  |
| Intentional Radiators  |                                |                      |  |  |  |  |
| Part 15C   | ANSI C63.10:2013               | 220 GHz              |  |  |  |  |
| Unlicensed Personal Communication Systems Devices                            |                                |                      |  |  |  |  |
| Part 15D   | ANSI C63.17:2013               | 220GHz               |  |  |  |  |
| U-NIII without DFS Intentional Radiators                                     |                                |                      |  |  |  |  |
| Part 15E   | ANSI C63.10:2013               | 220 GHz              |  |  |  |  |
| UWB Intentional Radiators  |                                |                      |  |  |  |  |
| Part 15F   | ANSI C63.10:2013               | 220 GHz              |  |  |  |  |
| BPL Intentional Radiators  |                                |                      |  |  |  |  |
| Part 15G   | ANSI C63.10:2013               | 220 GHz              |  |  |  |  |
| White Space Device Intentional Radiators                                     |                                |                      |  |  |  |  |
| Part 15H   | ANSI C63.10:2013               | 220 GHz              |  |  |  |  |
| Commercial Mobile Services (FCC Licensed Radio Service Equipment)            |                                |                      |  |  |  |  |
| Parts 22 (cellular), 24, 25 (non-microwave),<br>and 27                       | ANSI/TIA-603-D; TIA-102.CAAA-D | 220 GHz              |  |  |  |  |
| General Mobile Radio Services (FCC Licensed F                                |                                | _                    |  |  |  |  |
| Parts 22 (non-cellular), 90 (non-microwave), 95, 97, and 101 (non-microwave) | ANSI/TIA-603-D; TIA-102.CAAA-D | 220 GHz              |  |  |  |  |
| Citizens Broadband Radio Services (FCC Licensed Radio Service Equipment)     |                                |                      |  |  |  |  |
| Part 96  | ANSI/TIA-603-D; TIA-102.CAAA-D | 220 GHz              |  |  |  |  |
| Maritime and Aviation Radio Services   |                                |                      |  |  |  |  |
| Parts 80 and 87  | ANSI/TIA-603-D                 | 220 GHz              |  |  |  |  |
| Microwave and Millimeter Bands Radio Services                                |                                |                      |  |  |  |  |
| Parts 25, 74, 90 (90Y, 90Z, DSRC), and 101                                   | ANSI/TIA-603-D; TIA-102.CAAA-D | 220 GHz              |  |  |  |  |
| Broadcast Radio Services   |                                |                      |  |  |  |  |
| Parts 73 and 74 (non-microwave)  | ANSI/TIA-603-D; TIA-102.CAAA-D | 220 GHz              |  |  |  |  |
| Signal Boosters  |                                |                      |  |  |  |  |
| Part 20  | FCC KDB 935210 D03 (v04);      | 220 GHz              |  |  |  |  |
| (Wideband Consumer Signal Boosters,  | FCC KDB 935210 D04 (v02);      |                      |  |  |  |  |
| Provider-specific  | FCC KDB 935210 D05 (v01r01)    |                      |  |  |  |  |
| signal boosters, and Industrial Signal                                       |                                |                      |  |  |  |  |
| Boosters)  |                                |                      |  |  |  |  |

Inter

#### Notes:

- 1. Limitations for listed standards are indicated by square brackets.
- 2. Scope excludes protocol sections of applicable standards.
- 3. Scope includes references to basic standards or test methods specified within the governing standard; consequently, the basic standard references need not be identified on this scope document.
- 4. Excluding SAR, HAC and DFS where applicable.





# Accredited Laboratory


A2LA has accredited

### CKC LABORATORIES, INC. Fremont, CA

for technical competence in the field of

## **Electrical Testing**

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005 General requirements for the competence of testing and calibration laboratories. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated 8 January 2009).



Presented this 28th day of March 2017.

President and CEO For the Accreditation Council Certificate Number 0803.06 Valid to May 31, 2019 Revised March 7, 2019

For the tests to which this accreditation applies, please refer to the laboratory's Electrical Scope of Accreditation.