

## SCOPE OF ACCREDITATION TO ISO 15189:2012

# CLINICAL REFERENCE LABORATORY, INC. TOXICOLOGY LABORATORY 8433 Quivira Rd. Lenexa, KS 66215-2802

David J. Kuntz, Ph.D. 913-696-5408

### **CLINICAL**

Valid To: September 30, 2019 Certificate Number: 4065.03

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following types of testing on human samples, including: **Urine and Oral Fluid:** 

Specialty	Sub Specialty	Test/Analyte	Method	Matrix		
Chemistry						
-	Toxicology					
		2-	LC/MS/MS	Urine		
		Hydroxyethylflurazepam				
		6-Acetylmorphine	LC/MS/MS	Urine		
		7-Aminoclonazepam	LC/MS/MS	Urine		
		7-Aminoflunitraz pam	LC/MS/MS	Urine		
		7- mir nitra ep n	C/M/M	Urine		
		nthil		Urine		
		Ar oba bital	L V IS/N	Urine		
		Afinhetanine	LC-MS/MS	Urine		
		Atenolol	LC/MS/MS	Urine		
		Benzoylecognine	LC/MS/MS	Urine		
		Bromazepam	LC/MS/MS	Urine		
		Butabarbital	LC/MS/MS	Urine		
		Butalbital	LC/MS/MS	Urine		
		Codeine	GC/MS	Urine		
		Diazepam	LC/MS/MS	Urine		
		Dihydrocodeine	GC/MS	Urine		
		Estazolam	LC/MS/MS	Urine		
		Ethanol	GC/FID	Urine		
		Ethanol	GC/FID	Blood		
		Ethanol	GC/FID	Serum		
		Fentanyl	LC/MS/MS	Urine		
		Halazepam	LC/MS/MS	Urine		
		Hydrocodone	GC/MS	Urine		
		Hydromorphone	GC/MS	Urine		
		Hydroxyalprazolam	LC/MS/MS	Urine		
		Hydroxycotinine	LC/MS/MS	Oral Fluid		
		Hydroxymidazolam	LC/MS/MS	Urine		
		Hydroxytriazolam	LC/MS/MS	Urine		
		Lorazepam	LC/MS/MS	Urine		

Langer

Toxicology cont.			
	T 4	I CAMCAMC	TT.::
	Lormetazepam	LC/MS/MS	Urine
	Methadone	LC/MS/MS	Urine
	Methadone Metabolite	LC/MS/MS	Urine
	(EDDP)		
	Methamphetamine	LC/MS/MS	Urine
	Metoprolol	LC/MS/MS	Urine
	Morphine	GC/MS	Urine
	Nordiazepam	LC/MS/MS	Urine
	Norfentanyl	LC/MS/MS	Urine
	Norpropoxyphene	LC/MS/MS	Urine
	OH-Cotinine	LC/MS/MS	Urine
	Oxazepam	LC/MS/MS	Urine
	Oxycodone	LC/MS/MS	Urine
	Oxymorphone	LC/MS/MS	Urine
	Pentobarbital	LC/MS/MS	Urine
	Phencyclidine	LC/MS/MS	Urine
	Phenobarbital	LC/MS/MS	Urine
	Propenolol	LC/MS/MS	Urine
	Propoxyphene	LC/MS/MS	Urine
	Ritalin	LC/MS/MS	Urine
	Secobarbital	LC/MS/MS	Urine
	Sufentanil	LC/MS/MS	Urine
	1 laze ann	LC/M /M'	Urine
	TI Daze and	C/N /M	Urine





# ISO 15189:2012 Internationally-Recognized Accredited Laboratory

A2LA has accredited

# CLINICAL REFERENCE LABORATORY, INC. TOXICOLOGY LABORATORY for exclusion the field of

# Clinical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO 15189:2012 *Medical laboratories - Requirements for quality and competence*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (*refer to joint ISO-ILAC-IAF Communiqué dated January 2015*).

Presented this 14th day of September 2017.

President and CEO For the Accreditation Council Certificate Number 4065.03 Valid to September 30, 2019

For the tests to which this accreditation applies, please refer to the laboratory's Clinical Scope of Accreditation.

